

FUDO LINE

Carson

HERON

climax

barbetta  
world champion



# Monofili & Multifibra Fishing Line & Braided Line

MONOFILI - FISHING LINE - MONOFILAMENTOS - ЛЕСКА - MONOFILAMENTS

# Monofili & Multifibra Fishing Line & Braided Line



Fudo FM-1

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| N0200100 | 100        | 0.08            | 0.90      |
| N0200110 | 100        | 0.104           | 1.70      |
| N0200120 | 100        | 0.128           | 2.14      |
| N0200130 | 100        | 0.148           | 2.72      |
| N0200140 | 100        | 0.160           | 3.55      |
| N0200150 | 100        | 0.180           | 3.93      |
| N0200160 | 100        | 0.200           | 5.48      |
| N0200170 | 100        | 0.220           | 6.65      |
| N0200180 | 100        | 0.240           | 7.70      |
| N0200190 | 100        | 0.260           | 8.90      |
| N0200200 | 100        | 0.300           | 11.45     |



# FUDO LINE

SUPERIOR JAPANESE QUALITY





### Heron Crack-1

| CODE     | LENGTH (mt) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|-------------|-----------------|--------------|
| HN100200 | 160         | 0.17            | 3.20 / 7.05  |
| HN100210 | 160         | 0.19            | 3.90 / 8.59  |
| HN100220 | 160         | 0.21            | 4.60 / 10.13 |
| HN100230 | 160         | 0.25            | 6.20 / 13.66 |
| HN100240 | 160         | 0.30            | 8.90 / 19.60 |

### Maxx One

■ ■ Monofilo di colore dicroico chiaro, di nuovissima generazione, viene proposto in bobine da 50, 150 e 500 metri. L'imbobinamento effettuato in parallelo, elimina la torsione nella fase di recupero e migliora la fluidità in fase di lancio.

■ Iridescent, light-coloured monofil of the very latest generation. It is supplied in 50, 150 and 500 mt spools. Parallel line winding eliminates line twist during retrieving and provides for ultra-smooth casting.



| CODE     | LENGTH (mt) | DIAMETERS (Ømm) | TEST (Kg/lb) | FISHING TEST (Kg/lb) |
|----------|-------------|-----------------|--------------|----------------------|
| ZN500500 | 50          | 0.074           | 0.75/1.65    | 1.10/2.42            |
| ZN500510 | 50          | 0.091           | 0.96/2.11    | 1.70/3.75            |
| ZN500520 | 50          | 0.105           | 1.29/2.84    | 2.10/4.63            |
| ZN500530 | 50          | 0.128           | 1.87/4.12    | 2.70/5.96            |
| ZN500540 | 50          | 0.148           | 2.62/5.78    | 3.20/7.06            |
| ZN500550 | 50          | 0.165           | 3.10/6.84    | 3.90/8.60            |
| ZN500560 | 50          | 0.181           | 3.80/8.38    | 5.10/11.25           |
| ZN500570 | 50          | 0.203           | 4.40/9.71    | 6.20/13.68           |
| ZN500575 | 50          | 0.234           | 4.95/10.92   | 7.90/17.43           |
| ZN500580 | 50          | 0.261           | 6.10/13.46   | 8.90/19.64           |
| ZN500585 | 50          | 0.309           | 8.87/19.58   | 16.50/36.42          |
| ZN500600 | 150         | 0.105           | 1.29/2.84    | 2.10/4.63            |
| ZN500610 | 150         | 0.128           | 1.87/4.12    | 2.70/5.96            |
| ZN500620 | 150         | 0.148           | 2.62/5.78    | 3.20/7.06            |
| ZN500630 | 150         | 0.165           | 3.10/6.84    | 3.90/8.60            |
| ZN500640 | 150         | 0.181           | 3.80/8.38    | 5.10/11.25           |
| ZN500650 | 150         | 0.203           | 4.40/9.71    | 6.20/13.68           |
| ZN500660 | 150         | 0.234           | 4.95/10.92   | 7.90/17.43           |
| ZN500670 | 150         | 0.261           | 6.10/13.46   | 8.90/19.64           |
| ZN500680 | 150         | 0.286           | 8.87/19.58   | 16.50/36.42          |
| ZN500690 | 150         | 0.309           | 8.87/19.58   | 16.50/36.42          |
| ZN500710 | 150         | 0.370           | 12.40/27.37  | 20.50/45.25          |
| ZN500720 | 150         | 0.405           | 15.75/34.76  | 25.30/55.84          |
| ZN500730 | 150         | 0.467           | 19.25/42.49  | 32.60/71.96          |
| ZN500740 | 150         | 0.496           | 21.65/47.79  | 39.50/87.19          |
| ZN500800 | 500         | 0.128           | 1.87/4.12    | 2.70/5.96            |
| ZN500810 | 500         | 0.148           | 2.62/5.78    | 3.20/7.06            |
| ZN500820 | 500         | 0.165           | 3.10/6.84    | 3.90/8.60            |
| ZN500840 | 500         | 0.203           | 4.40/9.71    | 6.20/13.68           |



## Monofilo Maxx Match

■ Monofilo di color nero studiato appositamente per la pesca all'inglese. L'elasticità controllata e l'imbobinamento in parallelo, consentono ferrate immediate anche a lunghe distanze.

🇬🇧 Black monofil specially designed for match fishing. Parallel line winding and low stretch allow for faster strikes, even at long distance.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) | FISHING TEST (Kg/lb) |
|----------|------------|-----------------|--------------|----------------------|
| ZN400190 | 150        | 0.14            | 2.62/5.78    | 3.20/7.06            |
| ZN400200 | 150        | 0.16            | 3.10/6.84    | 3.80/8.38            |
| ZN400210 | 150        | 0.18            | 3.80/8.38    | 4.90/10.81           |
| ZN400220 | 150        | 0.20            | 4.40/9.71    | 5.90/13.02           |
| ZN400230 | 150        | 0.22            | 4.95/10.92   | 6.90/15.23           |



## Monofilo Maxx Reel

■ Monofilo creato per la pesca a mulinello, consente lanci lunghi grazie al particolare rivestimento ed ad una tenuta all'abrasione. Il colore verde chiaro, ne consente un'ottima invisibilità. Viene fornito in confezioni da 150 metri.

🇬🇧 Specially designed for reel fishing, this monofil has a special coating and a high abrasion-resistance for improved casting distance. The light green colour makes this line virtually invisible. It comes in 150mt spools.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | FISHING TEST (Kg/lb) |
|----------|------------|-----------------|----------------------|
| ZN500900 | 150        | 0.12            | 2.70/5.96            |
| ZN500905 | 150        | 0.14            | 3.20/7.06            |
| ZN500910 | 150        | 0.16            | 3.90/8.60            |
| ZN500915 | 150        | 0.18            | 5.10/11.25           |
| ZN500920 | 150        | 0.20            | 6.20/13.68           |
| ZN500925 | 150        | 0.22            | 7.90/17.43           |
| ZN500930 | 150        | 0.25            | 8.90/19.64           |
| ZN500935 | 150        | 0.30            | 16.50/36.42          |





### ACE X - One

Monofilo di colore dicroico chiaro, viene proposto in bobine da 25, 200 e 500 metri. Invisibile in acqua, evidenzia caratteristiche di morbidezza, elasticità ed alta tenuta alla trazione. L'imbobinamento effettuato in parallelo elimina la torsione del filo in fase produttiva con conseguente migliore fluidità in fase di utilizzo. Ideale per la costruzione di lenze e montaggio di finali è indicato per la pesca con mulinello per lanci a lunga distanza.

Light-coloured dichroic monofil providing great suppleness, high elasticity and excellent breaking strain. Its smooth performance makes it ideal for the construction of hooklengths and rigs, it also delivers excellent long-range casting performance when reel fishing. Invisible in water, comes in 25, 200 and 500 mt spools.



| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0400100 | 25         | 0.08            | 1.00/2.1     |
| N0400105 | 25         | 0.10            | 1.40/3.1     |
| N0400110 | 25         | 0.12            | 2.00/4.3     |
| N0400115 | 25         | 0.14            | 2.60/5.6     |
| N0400120 | 25         | 0.16            | 3.10/6.9     |
| N0400125 | 25         | 0.18            | 3.60/8.0     |
| N0400130 | 25         | 0.20            | 4.40/9.6     |
| N0400135 | 25         | 0.22            | 5.40/11.9    |
| N0400140 | 25         | 0.25            | 6.80/15.0    |
| N0400190 | 200        | 0.12            | 2.00/4.3     |
| N0400200 | 200        | 0.14            | 2.60/5.6     |
| N0400205 | 200        | 0.16            | 3.10/6.9     |
| N0400210 | 200        | 0.18            | 3.60/8.0     |
| N0400215 | 200        | 0.20            | 4.40/9.6     |
| N0400220 | 200        | 0.22            | 5.40/11.9    |
| N0400225 | 200        | 0.25            | 6.80/15.0    |
| N0400230 | 200        | 0.30            | 8.50/18.8    |
| N0400235 | 200        | 0.36            | 12.50/27.6   |
| N0400240 | 200        | 0.40            | 16.90/37.4   |
| N0400245 | 200        | 0.50            | 22.50/49.7   |
| N0400300 | 500        | 0.14            | 2.60/5.6     |
| N0400305 | 500        | 0.16            | 3.10/6.9     |
| N0400335 | 500        | 0.36            | 12.50/27.6   |
| N0400340 | 500        | 0.40            | 16.90/37.4   |



Blu/Blue



### ACE Power Sea

Monofilo creato e sviluppato espressamente per la pesca in mare. Resistente all'abrasione ed alla salsedine, ha una tenuta alla trazione superiore alla norma. Disponibile in tre colorazioni: blu, bianco e grigio chiaro. Tutti i colori estremamente invisibili nella fase di pesca.

Specially designed for sea fishing, this monofil is highly abrasion and saltwater resistant and provides unequalled breaking strain. Comes in a choice of three colours: blue, white and light grey. All colours are virtually invisible in water.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0400495 | 300        | 0.20            | 4.00 /8.8    |
| N0400497 | 300        | 0.22            | 5.20 /11.15  |
| N0400500 | 300        | 0.25            | 6.60 /14.5   |
| N0400505 | 300        | 0.30            | 8.10 /17.9   |
| N0400510 | 300        | 0.36            | 11.90 /26.3  |
| N0400515 | 300        | 0.40            | 16.00 /35.4  |
| N0400520 | 300        | 0.45            | 19.60 /43.3  |



Bianco/White



Grigio chiaro  
Light grey



# Monofili & Multifibra Fishing Line & Braided Line



## Teklon

■ **Monofilo di nuova generazione, di colore grigio dicroico ad altissima resistenza all'abrasione. Monofilo morbido, senza memoria e con altissima tenuta alla trazione. È indicato nella pesca a canna fissa ed anche con mulinello per lanci a lunga distanza. Disponibile in bobine da 50, 100 e 1000 metri.**

■ **Grey dichroic monofil of new generation designed to offer ultra-high abrasion resistance and smooth casting performance. Supple, zero memory and high breaking strain. This monofil is ideal for pole and reel fishing when long-range casting is required. Comes in 50, 100 and 1000 mt spools.**

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|----------|------------|-----------------|---------------|
| NO802200 | 50         | 0.08            | 1.10 / 2.43   |
| NO802205 | 50         | 0.10            | 1.50 / 3.31   |
| NO802210 | 50         | 0.12            | 2.00 / 4.41   |
| NO802215 | 50         | 0.14            | 2.70 / 5.95   |
| NO802220 | 50         | 0.16            | 3.30 / 7.28   |
| NO802225 | 50         | 0.18            | 3.90 / 8.60   |
| NO802230 | 50         | 0.20            | 4.50 / 9.92   |
| NO802235 | 50         | 0.22            | 5.80 / 12.79  |
| NO802240 | 50         | 0.25            | 6.90 / 15.22  |
| NO802245 | 50         | 0.30            | 8.96 / 19.76  |
| NO802250 | 50         | 0.35            | 14.10 / 31.10 |
| NO802305 | 100        | 0.10            | 1.50 / 3.31   |
| NO802310 | 100        | 0.12            | 2.00 / 4.41   |
| NO802315 | 100        | 0.14            | 2.70 / 5.95   |
| NO802316 | 100        | 0.16            | 3.30 / 7.28   |
| NO802318 | 100        | 0.18            | 3.90 / 8.60   |
| NO802319 | 100        | 0.20            | 4.50 / 9.92   |
| NO802325 | 100        | 0.22            | 5.80 / 12.79  |
| NO802340 | 100        | 0.25            | 6.90 / 15.22  |
| NO802341 | 100        | 0.28            | 8.00 / 17.64  |
| NO802342 | 100        | 0.30            | 8.96 / 19.76  |
| NO802343 | 100        | 0.35            | 14.10 / 31.10 |
| NO802344 | 100        | 0.40            | 17.80 / 39.26 |
| NO802345 | 100        | 0.45            | 21.00 / 46.32 |
| NO802346 | 100        | 0.50            | 25.50 / 56.24 |
| NO802373 | 1000       | 0.12            | 2.00 / 4.41   |
| NO802374 | 1000       | 0.14            | 2.70 / 5.95   |
| NO802375 | 1000       | 0.16            | 3.30 / 7.28   |
| NO802376 | 1000       | 0.18            | 3.90 / 8.60   |
| NO802377 | 1000       | 0.20            | 4.50 / 9.92   |
| NO802378 | 1000       | 0.22            | 5.80 / 12.79  |
| NO802379 | 1000       | 0.25            | 6.90 / 15.22  |
| NO802385 | 1000       | 0.28            | 8.00 / 17.64  |
| NO802390 | 1000       | 0.30            | 8.96 / 19.76  |
| NO802395 | 1000       | 0.35            | 14.10 / 31.10 |
| NO802400 | 1000       | 0.40            | 17.80 / 39.26 |
| NO802401 | 1000       | 0.45            | 21.00 / 46.32 |
| NO802402 | 1000       | 0.50            | 25.50 / 56.24 |



## ACE X - Trout

■ **Monofilo appositamente studiato per la pesca alla trota sia in lago che in torrente. Di colore giallo-fluo. risulta immediatamente visibile al pescatore ma invisibile in acqua. Grazie al sistema di imbobinamento ed al particolare rivestimento in silicone si ottiene ottima fluidità e si riduce inoltre gli attriti consentendo lanci a lunga distanza. Ottima la resistenza all'abrasione e la tenuta sotto trazione.**

■ **Specially designed for lake and stream trout fishing. This fluorescent yellow monofil is highly visible to the angler's eye, but totally invisible in water. It is coated with a special silicone finish that reduces friction. Allowing smooth long-range casting performance. High abrasion resistance and excellent breaking strain.**

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| NO400600 | 200        | 0.16            | 3.00 / 6.6   |
| NO400605 | 200        | 0.18            | 3.50 / 7.7   |
| NO400610 | 200        | 0.20            | 4.20 / 9.3   |
| NO400615 | 200        | 0.22            | 5.20 / 11.5  |
| NO400620 | 200        | 0.25            | 6.60 / 14.5  |
| NO400625 | 200        | 0.30            | 8.10 / 17.90 |





### Golden Speci Line Carp Mimetic

■ ■ Monofilo mimetico creato con una doppia pigmentazione nera e verde dove la torsione lo rende visibile a tratti alternati. Oltre ad essere mimetico, ha un notevole peso specifico che lo rende affondante e quindi adatto al Carp Fishing, alla pesca a fondo ed allo spinning pesante in acque dolci.

🇬🇧 Green and black monofil creating a camouflaged effect which makes it visible only at times as a result of line torsion. Its high specific gravity allows this monofil to sink making it ideal for carp fishing, bottom fishing and heavy freshwater spinning.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| NO600195 | 300        | 0.25            | 6.9 /15.2    |
| NO600200 | 300        | 0.30            | 9.2 /20.3    |
| NO600210 | 300        | 0.35            | 12.1 /26.7   |
| NO600220 | 300        | 0.40            | 16.5 /36.3   |



### ACE Supreme Carp

■ ■ Monofilo di colore marrone scuro, estremamente rigido, creato per la pesca a lunghe distanze dove è indispensabile un contatto immediato con l'esca. Ottimo per il carp fishing, il feeder e lo spinning. Altissima resistenza all'abrasione e tenuta alla trazione.

🇬🇧 Specially designed for long-range fishing. This ultra-stiff dark brown monofil is ideal for carp fishing, feeder fishing and spinning. High abrasion resistance and excellent breaking strain.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| NO400400 | 300        | 0.25            | 6.60 /14.5   |
| NO400405 | 300        | 0.30            | 8.10 /17.9   |
| NO400410 | 300        | 0.36            | 11.90 /26.3  |
| NO400415 | 300        | 0.40            | 16.00 /35.4  |



### Pro-Hunter

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| RN400400 | 100        | 0.20            | 3.5 /7.73    |
| RN400405 | 100        | 0.25            | 5 /11.05     |
| RN400410 | 100        | 0.30            | 6.5 /14.37   |
| RN400415 | 100        | 0.35            | 8.10 /17.90  |
| RN400420 | 100        | 0.40            | 10.70 /23.65 |
| RN400425 | 100        | 0.45            | 12.60 /27.85 |
| RN400430 | 100        | 0.50            | 17.00 /37.55 |
| RN400435 | 100        | 0.60            | 23.70 /52.38 |
| RN400440 | 100        | 0.70            | 28.50 /62.99 |
| RN400445 | 100        | 0.80            | 36.50 /80.67 |



# Monofili & Multifibra Fishing Line & Braided Line




## Silver Carson

Monofilo di colore chiaro trasparente. unisce ottime qualità di tenuta e resistenza ad un prezzo contenuto e si rivela un filo adatto ad ogni esigenza e tipologia di pesca, sia in acque dolci che in mare. Viene presentato in confezioni da 100, 500, 1000, 3000 metri e in matasse.

Clear, light-coloured monofil offering excellent strength qualities at an affordable price. Ideal to cover a variety of fresh and saltwater fishing applications. Supplied either in 100, 500, 1000 and 3000 mt spools or in skeins.

| CODE      | LENGTH (mt) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|-----------|-------------|-----------------|---------------|
| NO801400  | 100         | 0.16            | 1.80 /3.97    |
| NO801402  | 100         | 0.18            | 2.00 /4.41    |
| NO801405  | 100         | 0.20            | 3.30 /7.28    |
| NO801407  | 100         | 0.22            | 4.00 /8.82    |
| NO801410  | 100         | 0.25            | 4.70 /10.36   |
| NO801415  | 100         | 0.30            | 6.20 /13.67   |
| NO801420  | 100         | 0.35            | 7.60 /16.76   |
| NO801425  | 100         | 0.40            | 10.00 /22.05  |
| NO801430  | 100         | 0.45            | 12.30 /27.13  |
| NO801435  | 100         | 0.50            | 16.60 /36.61  |
| NO801440  | 100         | 0.60            | 23.20 /51.17  |
| NO801445  | 100         | 0.70            | 26.50 /58.44  |
| NO801450  | 100         | 0.80            | 36.30 /80.06  |
| NO801460  | 100         | 1.00            | 46.50 /102.55 |
| NO801457  | 100         | 1.20            | 55 /121.30    |
| NO801461  | 100         | 1.40            | 65 /143.36    |
| NO801463  | 1000        | 0.20            | 3.30 /7.28    |
| NO801465  | 1000        | 0.25            | 4.70 /10.36   |
| NO801467  | 1000        | 0.30            | 6.20 /13.67   |
| NO801468  | 1000        | 0.35            | 7.60 /16.76   |
| NO801470  | 1000        | 0.40            | 10.00 /22.05  |
| NO801473  | 1000        | 0.45            | 12.30 /27.13  |
| NO801475  | 1000        | 0.50            | 16.60 /36.61  |
| NO801480  | 1000        | 0.60            | 23.20 /51.17  |
| NO801485  | 1000        | 0.70            | 26.50 /58.44  |
| NO801490  | 1000        | 0.80            | 36.30 /80.06  |
| NO801500  | 1000        | 1.00            | 46.50 /102.55 |
| NO801505  | 1000        | 1.20            | 55 /121.30    |
| NO801585* | 100         | 0.50            | 16.60 /36.61  |
| NO801590* | 100         | 0.60            | 23.20 /51.17  |
| NO801595* | 100         | 0.70            | 26.50 /58.44  |
| NO801600* | 100         | 0.80            | 36.30 /80.06  |
| NO801610* | 100         | 1.00            | 46.50 /102.55 |
| NO801620* | 100         | 1.20            | 55.00 /121.30 |
| NO801630* | 100         | 1.40            | 65.00 /143.36 |
| NO801640* | 100         | 1.60            | 75.00 /165.42 |

\* MATASSE NYLON 6x100mt CONNECTED







...impossibile resistergli!

### Golden Turbo Line

■ ■ Monofilo di ultima generazione, color verde chiaro, adatto per la pesca a canna fissa. Eccezionale per la pesca con mulinello, resistente all'abrasione in ogni situazione di pesca in acqua dolce e in mare. Fornito in bobine da mt 150 e confezionato in blister singolo.

■ A clear green monofil of latest generation designed to offer excellent abrasion resistance in any fresh and saltwater fishing situation. Ideal for pole fishing and great for reel fishing. It comes in 150mt spools and packaged in blister packs.



| CODE     | LENGTH (mt) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|----------|-------------|-----------------|---------------|
| N0600090 | 150         | 0.12            | 1.6 / 6.3     |
| N0600095 | 150         | 0.14            | 2.0 / 4.4     |
| N0600100 | 150         | 0.16            | 2.6 / 5.7     |
| N0600110 | 150         | 0.18            | 3.2 / 7.0     |
| N0600120 | 150         | 0.20            | 4.0 / 8.8     |
| N0600130 | 150         | 0.22            | 4.8 / 10.54   |
| N0600140 | 150         | 0.25            | 5.6 / 12.3    |
| N0600150 | 150         | 0.30            | 7.9 / 17.14   |
| N0600160 | 150         | 0.35            | 10.04 / 22.09 |
| N0600170 | 150         | 0.40            | 13.1 / 28.09  |
| N0600175 | 150         | 0.45            | 16.04 / 36.1  |
| N0600180 | 150         | 0.50            | 19.8 / 43.6   |

### Atom-Force Fluorix

| CODE     | LENGTH (mt) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|-------------|-----------------|--------------|
| N0500080 | 250         | 0.18            | 3.7 / 8.1    |
| N0500085 | 250         | 0.20            | 4.5 / 9.9    |
| N0500090 | 250         | 0.22            | 5.4 / 11.9   |
| N0500095 | 250         | 0.25            | 8.45 / 18.6  |
| N0500100 | 250         | 0.30            | 11.95 / 26.3 |
| N0500105 | 250         | 0.35            | 15.7 / 34.6  |
| N0500110 | 250         | 0.40            | 20.5 / 45.1  |
| N0500120 | 250         | 0.45            | 27.4 / 60.3  |
| N0500130 | 250         | 0.50            | 34.7 / 76.3  |
| N0500132 | 250         | 0.60            | 39.4 / 86.7  |



# Monofili & Multifibra Fishing Line & Braided Line



## Fluorine Super Pro ISO - A

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|----------|------------|-----------------|---------------|
| N0300100 | 250        | 0.25            | 5.59 / 11.74  |
| N0300110 | 250        | 0.30            | 7.69 / 16.15  |
| N0300120 | 250        | 0.35            | 10.54 / 22.14 |
| N0300130 | 250        | 0.40            | 12.68 / 26.63 |



## Fluorine Super Pro ISO - B

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|----------|------------|-----------------|---------------|
| N0300200 | 250        | 0.25            | 5.59 / 11.74  |
| N0300210 | 250        | 0.30            | 7.69 / 16.15  |
| N0300220 | 250        | 0.35            | 10.54 / 22.14 |
| N0300230 | 250        | 0.40            | 12.68 / 26.63 |



## Fluorine Super Pro ISO - C

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb)  |
|----------|------------|-----------------|---------------|
| N0300300 | 250        | 0.25            | 5.59 / 11.74  |
| N0300310 | 250        | 0.30            | 7.69 / 16.15  |
| N0300320 | 250        | 0.35            | 10.54 / 22.14 |
| N0300330 | 250        | 0.40            | 12.68 / 26.63 |





Dorada

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0300600 | 300        | 0.25            | 5.59/11.74   |
| N0300610 | 300        | 0.30            | 7.69/16.15   |
| N0300620 | 300        | 0.35            | 10.54/22.14  |
| N0300630 | 300        | 0.40            | 12.68/26.63  |



Hyper Cast

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0300500 | 300        | 0.25            | 5.59/11.74   |
| N0300510 | 300        | 0.30            | 7.69/16.15   |
| N0300520 | 300        | 0.35            | 10.54/22.14  |
| N0300530 | 300        | 0.40            | 12.68/26.63  |



Egi Master

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0300400 | 150        | 0.20            | 3.6/7.56     |
| N0300410 | 150        | 0.25            | 5.59/11.74   |
| N0300420 | 150        | 0.30            | 7.69/16.15   |
| N0300430 | 150        | 0.35            | 10.54/22.14  |
| N0300440 | 150        | 0.40            | 12.68/26.63  |
| N0300450 | 150        | 0.50            | 21.4/44.95   |





## Climax Select Fluorocarbon Leader

**SELECT** Fluorocarbon has mastered a weakness that plagues most other fluorocarbon lines on the market: it has particularly high knot strength of about 80% and a suppleness that results in perfect casts and bait presentation. This is a very special line. Whether you are fishing in crystal clear water or stalking the most timid of fish, **SELECT** is the right choice. It has a similar rate of refraction to water so is practically invisible to fish, which dramatically increases your chances of success.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| OC300100 | 25         | 0.125           | 1.5       |
| OC300110 | 25         | 0.145           | 1.9       |
| OC300120 | 25         | 0.165           | 2.4       |
| OC300130 | 25         | 0.185           | 2.8       |
| OC300140 | 25         | 0.205           | 3.4       |
| OC300150 | 25         | 0.225           | 3.9       |
| OC300160 | 25         | 0.245           | 4.7       |
| OC300170 | 25         | 0.285           | 5.9       |
| OC300180 | 25         | 0.305           | 6.8       |
| OC300190 | 25         | 0.355           | 9.4       |
| OC300300 | 100        | 0.125           | 1.5       |
| OC300310 | 100        | 0.145           | 1.9       |
| OC300320 | 100        | 0.165           | 2.4       |
| OC300330 | 100        | 0.185           | 2.8       |
| OC300340 | 100        | 0.205           | 3.4       |
| OC300350 | 100        | 0.225           | 3.9       |
| OC300360 | 100        | 0.245           | 4.7       |
| OC300370 | 100        | 0.285           | 5.9       |
| OC300380 | 100        | 0.305           | 6.8       |
| OC300390 | 100        | 0.355           | 7.5       |



## Climax Fluorocarbon Leader



| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| OC300490 | 20         | 0.40            | 10        |
| OC300500 | 20         | 0.50            | 14        |
| OC300510 | 20         | 0.60            | 17        |
| OC300520 | 20         | 0.70            | 20        |
| OC300530 | 20         | 0.80            | 24        |
| OC300535 | 20         | 0.90            | 30        |
| OC300540 | 20         | 1.00            | 40        |
| OC300550 | 20         | 1.20            | 50        |

## Haruna Seamaster Igfa Quality

This monofilament Big Game line meets 100% of the IGFA (International Game Fish Association) standards on the precise calibration of international competition line and catches unbelievably good as well! Ask the pros!

Attributes:

- Exact calibration according to IGFA Standard
- Regulated elasticity for strong hooking performance and buffer when playing the fish
- Optimal color for lowest possible under water visibility

| CODE     | LENGTH (m) | LBS |
|----------|------------|-----|
| OC300600 | 1000       | 30  |
| OC300610 | 1000       | 50  |
| OC300620 | 1000       | 80  |
| OC300630 | 1000       | 130 |





### Haruna Seamaster Leader

This exclusive leader material is capable of an enormous breaking strain - 95 kg with just 1.20 mm diameter - and nevertheless does not have problems with knots. Whether a self-knotted paternoster or a deep sea leader. You can completely rely on this monofilament.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| OC300700 | 50         | 0.80            | 42        |
| OC300710 | 50         | 0.90            | 51        |
| OC300720 | 50         | 1.00            | 68        |



### Strong Plus



| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| OC300635 | 1000       | 0.70            | 25        |
| OC300640 | 1000       | 0.80            | 33        |
| OC300645 | 1000       | 0.90            | 38        |
| OC300650 | 1000       | 1.00            | 46        |
| OC300655 | 1000       | 1.20            | 65        |
| OC300660 | 1000       | 1.40            | 80        |

### Cult Carp Line

Best available raw materials for stability and increased life span. Specially formulated surface for extra abrasion resistance and cast ability. Unidirectional molecule structure for maximum breaking strain and controlled elasticity. Polymer additives for perfect suppleness and lowest possible memory. Linked molecules increased for up to 90% stronger knots. Computer controlled line diameter. Density for consistent breaking strain and maximum reliability.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg) |
|----------|------------|-----------------|-----------|
| OC100100 | 300        | 0.30            | 7         |
| OC100110 | 300        | 0.34            | 9         |
| OC100120 | 300        | 0.38            | 11        |
| OC100150 | 1000       | 0.30            | 7         |
| OC100160 | 1000       | 0.34            | 9         |
| OC100170 | 1000       | 0.38            | 11        |





## Climax Mig

- Peak performance made in Germany meant for fishing maniacs!
- Pure Dyneema® fibres & micro braiding for extremely high breaking strain and knot strength.
- Thermofixation for improved castability, usability and a super supple surface.
- Polysiloxane sealing for max abrasion resistance and protection from dirt-infiltration, salt and UV-rays.

|              |      |      |      |      |      |      |      |      |
|--------------|------|------|------|------|------|------|------|------|
| DIAM. (Ømm)  | 0.04 | 0.06 | 0.08 | 0.10 | 0.12 | 0.14 | 0.16 | 0.18 |
| TEST (Kg/lb) | 2.7  | 3.8  | 5.6  | 6.5  | 9.0  | 10.0 | 11.5 | 13.0 |
| DIAM. (Ømm)  | 0.20 | 0.22 | 0.25 | 0.28 | 0.30 | 0.35 | 0.40 |      |
| TEST (Kg/lb) | 14.8 | 16.5 | 19.0 | 22.0 | 28.0 | 35.0 | 39.0 |      |



100% EXTRA STRONG HMPE-FIBRES

## Climax LaserLine

This unique, new braid made from 100% Dyneema® SK-75 fibres outperforms other braided lines! The breaking strength of this German-made braid has increased by 25% - keeping the same diameters of course! Its super low elasticity (max. 2.5%) results in direct contact and control over lure and fish at any time. Due to thermofixation and a special Teflon®-finish, the LaserLine performs incredibly when casting and lasts considerably longer. Thanks to the Climax Premium-polysiloxan sealing, this braid features extreme abrasion resistance, colour fastness and protection from dirt-infiltration, salt and UV-rays.

|              |      |      |      |      |      |      |      |      |      |      |
|--------------|------|------|------|------|------|------|------|------|------|------|
| DIAM. (Ømm)  | 0.04 | 0.06 | 0.08 | 0.10 | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.25 |
| TEST (Kg/lb) | 3.3  | 4.5  | 6.4  | 10.0 | 11.0 | 12.9 | 16.2 | 18.3 | 20.0 | 26.0 |
| DIAM. (Ømm)  | 0.28 | 0.30 | 0.35 | 0.40 |      |      |      |      |      |      |
| TEST (Kg/lb) | 29.0 | 35.0 | 40.0 | 44.0 |      |      |      |      |      |      |



yellow-orange

dark-olive

SUPERIOR FIBRE TECHNOLOGY

## Climax MIG8

Genuine 8-ply HMPE-fibres perform extremely high breaking and knot strength. Due to our proprietary thermofixation process, this slightly stiffer and extremely supple braid has enormous durability and outperforms when long distance casting is required. Due to the close-to-zero elongation, excellent control over bait and fish is guaranteed. The polysiloxane sealing stands for extreme abrasion resistance, protection from dirt-infiltration as well as salt and UV-rays.

|              |      |      |      |      |      |      |      |      |
|--------------|------|------|------|------|------|------|------|------|
| DIAM. (Ømm)  | 0.08 | 0.10 | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 |
| TEST (Kg/lb) | 6.5  | 7.9  | 9.5  | 13.5 | 15.9 | 18.2 | 19.5 | 21.9 |
| DIAM. (Ømm)  | 0.25 | 0.28 | 0.30 |      |      |      |      |      |
| TEST (Kg/lb) | 24.5 | 27.8 | 29.6 |      |      |      |      |      |



EXTREME BRAID!

## Climax TOUCH 8+

The brand new TOUCH 8 plus: By the first touch this incredibly soft 8-fibre braid will fascinate you and not let you go - the best braid you ever fished!

- Genuine 8-fibre braid in ultimate perfection - extremely soft and round
- Extremely supple surface enables incredible fishing
- Noiseless and frictionless - the new High-Tech finish makes your TOUCH fly through the guides
- Increased movement and agility of lures
- Lowest possible stretch

|              |      |      |      |      |      |      |      |      |      |
|--------------|------|------|------|------|------|------|------|------|------|
| DIAM. (Ømm)  | 0.12 | 0.14 | 0.16 | 0.18 | 0.20 | 0.22 | 0.25 | 0.28 | 0.30 |
| TEST (Kg/lb) | 9.2  | 11.3 | 14.2 | 16.6 | 19.0 | 21.5 | 24.0 | 26.8 | 29.5 |

EXCELLENCE FOR YOUR SUCCESS!





Heron Crack-2 **100% BRAIDED LINE**

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| HN200300 | 135        | 0.11            | 6.81/15      |
| HN200310 | 135        | 0.15            | 9.08/20      |
| HN200320 | 135        | 0.19            | 11.35/25     |
| HN200330 | 135        | 0.23            | 13.62/30     |
| HN200340 | 135        | 0.31            | 22.70/50     |

Dyneema Carson Ercole

La treccia è ideale per la pesca a lunga distanza (carp fishing e surf casting) per l'assoluta capacità di trasmettere ogni piccolo segnale alla cima della canna e quindi agli avvisatori. Ciò è reso possibile dalla assoluta mancanza di elasticità, che rende questo accessorio veramente sensibile ad ogni vibrazione e movimento anche a grande distanza. L'aggiunta di KEVLAR, consente al monofilo di appoggiarsi sul fondo e garantirne la funzionalità.

The braid is designed to transmit even the lightest touch of a striking fish back to the rod tip and bite indicator, making it ideal for long-range fishing, such as carp fishing and surf casting. This is due to the total lack of stretch that makes this line extremely sensitive to every movement or vibration even at long distance. The addition of Kevlar fibres allows the braid to settle on the bottom for best result.

| CODE      | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|-----------|------------|-----------------|--------------|
| N0802500* | 100        | 0.10            | 6.50/14.00   |
| N0802505* | 100        | 0.12            | 7.50/18.00   |
| N0802507* | 100        | 0.14            | 9.00/20.00   |
| N0802510* | 100        | 0.16            | 11.00/24.00  |
| N0802515* | 100        | 0.18            | 13.00/28.00  |
| N0802520* | 100        | 0.20            | 15.00/33.00  |
| N0802525* | 100        | 0.22            | 17.00/37.00  |
| N0802530* | 100        | 0.25            | 19.00/42.00  |
| N0802535* | 100        | 0.30            | 25.00/55.00  |
| N0802537* | 100        | 0.35            | 31.00/68.00  |
| N0802540* | 100        | 0.40            | 36.00/80.00  |
| N0802542* | 100        | 0.50            | 45.00/100.00 |
| N0802545* | 100        | 0.60            | 54.00/120.00 |
| N0802550  | 300        | 0.10            | 6.50/14.00   |
| N0802560  | 300        | 0.12            | 7.50/17.00   |
| N0802570  | 300        | 0.16            | 11.00/24.00  |
| N0802580  | 300        | 0.18            | 13.00/28.00  |
| N0802585  | 300        | 0.20            | 15.00/33.00  |
| N0802590  | 300        | 0.22            | 17.00/37.00  |
| N0802600  | 300        | 0.25            | 19.00/42.00  |
| N0802610  | 300        | 0.30            | 25.00/55.00  |
| N0802620  | 300        | 0.35            | 31.00/68.00  |
| N0802630  | 300        | 0.40            | 36.00/80.00  |
| N0802640  | 300        | 0.50            | 45.00/100.00 |

\* DISPONIBILE IN CONFEZIONE BLISTER SINGOLO OPPURE COLLEGATO PER 6 BOBINE  
 SUPPLIED IN SINGLE BLISTER OR BY 6 CONNECTED SPOOLS



nero/black

Golia Crocodile **100% BRAIDED LINE**

Intrecciato e termofuso con silicone si presenta molto resistente e soffice.

Thermofused with silicone, this braided line offers extra strength and suppleness.

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| ZD100200 | 100        | 0.10            | 9.00/19.80   |
| ZD100210 | 100        | 0.13            | 11.00/24.30  |



## Maciste

| CODE     | LENGTH (m) | DIAMETERS (Ømm) | TEST (Kg/lb) |
|----------|------------|-----------------|--------------|
| N0803510 | 130        | 0.12            | 4.5 / 9.45   |
| N0803510 | 130        | 0.14            | 5.6 / 11.76  |
| N0803510 | 130        | 0.16            | 6.7 / 14.07  |
| N0803510 | 130        | 0.18            | 8.1 / 17.00  |
| N0803510 | 130        | 0.20            | 9.8 / 20.60  |
| N0803510 | 130        | 0.23            | 11.5 / 24.15 |
| N0803510 | 130        | 0.26            | 14.7 / 30.87 |
| N0803510 | 130        | 0.30            | 16.2 / 34.00 |
| N0803510 | 130        | 0.35            | 21.5 / 45.15 |
| N0803510 | 130        | 0.40            | 23.8 / 50.00 |
| N0803500 | 500        | 0.18            | 8.1 / 17.00  |
| N0803500 | 500        | 0.20            | 9.8 / 20.60  |
| N0803500 | 500        | 0.23            | 11.5 / 24.15 |
| N0803500 | 500        | 0.26            | 14.7 / 30.87 |
| N0803500 | 500        | 0.30            | 16.2 / 34.00 |
| N0803500 | 500        | 0.35            | 21.5 / 45.15 |
| N0803500 | 500        | 0.40            | 23.8 / 50.00 |
| N0803500 | 500        | 0.45            | 28.1 / 59.00 |



## Atom-Force Rainbow

Color 1 from 0 to 10 mt

Color 2 from 10 to 20 mt

Color 3 from 20 to 30 mt

Color 4 from 30 to 40 mt

Color 5 from 40 to 50 mt

| CODE     | LENGTH (m) | LBS | Kg    |
|----------|------------|-----|-------|
| N0802750 | 300        | 30  | 13.60 |
| N0802760 | 300        | 50  | 22.80 |



## Dacron

■ ■ Filo intrecciato "DACRON" di alta qualità, speciale per la pesca in mare e grandi prede in acque dolci. Disponibile in bobine da 50 e 500 metri.

🇬🇧 High-quality "DACRON" braided line special for sea fishing and freshwater fishing for big fish. Comes in 50 and 500 mt spools.

| CODE     | LENGTH (m) | LBS | CODE     | LENGTH (m) | LBS |
|----------|------------|-----|----------|------------|-----|
| C3400415 | 50         | 12  | C3400475 | 500        | 12  |
| C3400420 | 50         | 15  | C3400480 | 500        | 20  |
| C3400430 | 50         | 20  | C3400490 | 500        | 30  |
| C3400440 | 50         | 30  | C3400500 | 500        | 50  |
| C3400445 | 50         | 40  | C3400510 | 500        | 80  |
| C3400450 | 50         | 50  | C3400520 | 500        | 100 |
| C3400460 | 50         | 80  | C3400525 | 500        | 130 |
| C3400465 | 50         | 100 | C3400530 | 500        | 160 |
| C3400470 | 50         | 130 |          |            |     |