

MONOFILO MAXX MATCH



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)	FISHING TEST (Kg/lb)
ZN400190	150	0.14	2.62/5.78	3.20/7.06
ZN400200	150	0.16	3.10/6.84	3.80/8.38
ZN400210	150	0.18	3.80/8.38	4.90/10.81
ZN400220	150	0.20	4.40/9.71	5.90/13.02
ZN400230	150	0.22	4.95/10.92	6.90/15.23

CRACK-1



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
HN100200	160	0.17	3.20 / 7.05
HN100210	160	0.19	3.90 / 8.59
HN100220	160	0.21	4.60 / 10.13
HN100230	160	0.25	6.20 / 13.66
HN100240	160	0.30	8.90 / 19.60



MONOFILO MAXX REEL



CODE	LENGTH (mt)	DIAMETERS (Ømm)	FISHING TEST (Kg/lb)
ZN500900	150	0.12	2.70/5.96
ZN500905	150	0.14	3.20/7.06
ZN500910	150	0.16	3.90/8.60
ZN500915	150	0.18	5.10/11.25
ZN500920	150	0.20	6.20/13.68
ZN500925	150	0.22	7.90/17.43
ZN500930	150	0.25	8.90/19.64
ZN500935	150	0.30	16.50/36.42

MAXX ONE

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)	FISHING TEST (Kg/lb)
ZN500500	50	0.074	0.75/1.65	1.10/2.42
ZN500510	50	0.091	0.96/2.11	1.70/3.75
ZN500520	50	0.105	1.29/2.84	2.10/4.63
ZN500530	50	0.128	1.87/4.12	2.70/5.96
ZN500540	50	0.148	2.62/5.78	3.20/7.06
ZN500550	50	0.165	3.10/6.84	3.90/8.60
ZN500560	50	0.181	3.80/8.38	5.10/11.25
ZN500570	50	0.203	4.40/9.71	6.20/13.68
ZN500575	50	0.234	4.95/10.92	7.90/17.43
ZN500580	50	0.261	6.10/13.46	8.90/19.64
ZN500585	50	0.309	8.87/19.58	16.50/36.42
ZN500600	150	0.105	1.29/2.84	2.10/4.63
ZN500610	150	0.128	1.87/4.12	2.70/5.96
ZN500620	150	0.148	2.62/5.78	3.20/7.06
ZN500630	150	0.165	3.10/6.84	3.90/8.60
ZN500640	150	0.181	3.80/8.38	5.10/11.25
ZN500650	150	0.203	4.40/9.71	6.20/13.68
ZN500660	150	0.234	4.95/10.92	7.90/17.43
ZN500670	150	0.261	6.10/13.46	8.90/19.64
ZN500680	150	0.286	8.87/19.58	16.50/36.42
ZN500690	150	0.309	8.87/19.58	16.50/36.42
ZN500710	150	0.370	12.40/27.37	20.50/45.25
ZN500720	150	0.405	15.75/34.76	25.30/55.84
ZN500730	150	0.467	19.25/42.49	32.60/71.96
ZN500740	150	0.496	21.65/47.79	39.50/87.19
ZN500800	500	0.128	1.87/4.12	2.70/5.96
ZN500810	500	0.148	2.62/5.78	3.20/7.06
ZN500820	500	0.165	3.10/6.84	3.90/8.60
ZN500840	500	0.203	4.40/9.71	6.20/13.68

ACE X-ONE



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0400100	25	0.08	1.00/2.1
N0400105	25	0.10	1.40/3.1
N0400110	25	0.12	2.00/4.3
N0400115	25	0.14	2.60/5.6
N0400120	25	0.16	3.10/6.9
N0400125	25	0.18	3.60/8.0
N0400130	25	0.20	4.40/9.6
N0400135	25	0.22	5.40/11.9
N0400140	25	0.25	6.80/15.0
N0400190	200	0.12	2.00/4.3
N0400200	200	0.14	2.60/5.6
N0400205	200	0.16	3.10/6.9
N0400210	200	0.18	3.60/8.0
N0400215	200	0.20	4.40/9.6
N0400220	200	0.22	5.40/11.9
N0400225	200	0.25	6.80/15.0
N0400230	200	0.30	8.50/18.8
N0400235	200	0.36	12.50/27.6
N0400240	200	0.40	16.90/37.4
N0400245	200	0.50	22.50/49.7
N0400300	500	0.14	2.60/5.6
N0400305	500	0.16	3.10/6.9
N0400335	500	0.36	12.50/27.6
N0400340	500	0.40	16.90/37.4

ACE POWER SEA



CODE	LENGTH (mt)	DIAMETERS (Ømm)	FISHING TEST (Kg/lb)
N0400495	300	0.20	4.00 / 8.8
N0400497	300	0.22	5.20 / 11.15
N0400500	300	0.25	6.60 / 14.5
N0400505	300	0.30	8.10 / 17.9
N0400510	300	0.36	11.90 / 26.3
N0400515	300	0.40	16.00 / 35.4
N0400520	300	0.45	19.60 / 43.3

ACE X-TROUT



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0400600	200	0.16	3.00 / 6.6
N0400605	200	0.18	3.50 / 7.7
N0400610	200	0.20	4.20 / 9.3
N0400615	200	0.22	5.20 / 11.5
N0400620	200	0.25	6.60 / 14.5
N0400625	200	0.30	8.10 / 17.90

TEKLON

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0802200	50	0.08	1.10 /2.43
N0802205	50	0.10	1.50 /3.31
N0802210	50	0.12	2.00 /4.41
N0802215	50	0.14	2.70 /5.95
N0802220	50	0.16	3.30 /7.28
N0802225	50	0.18	3.90 /8.60
N0802230	50	0.20	4.50 /9.92
N0802235	50	0.22	5.80/12.79
N0802240	50	0.25	6.90/15.22
N0802245	50	0.30	8.96/19.76
N0802250	50	0.35	14.10 /31.10
N0802305	100	0.10	1.50 /3.31
N0802310	100	0.12	2.00 /4.41
N0802315	100	0.14	2.70 /5.95
N0802316	100	0.16	3.30 /7.28
N0802318	100	0.18	3.90 /8.60
N0802319	100	0.20	4.50 /9.92
N0802325	100	0.22	5.80/12.79
N0802340	100	0.25	6.90/15.22
N0802341	100	0.28	8.00/17.64
N0802342	100	0.30	8.96/19.76
N0802343	100	0.35	14.10/31.10
N0802344	100	0.40	17.80/39.26
N0802345	100	0.45	21.00 /46.32
N0802346	100	0.50	25.50 /56.24
N0802373	1000	0.12	2.00 /4.41
N0802374	1000	0.14	2.70 /5.95
N0802375	1000	0.16	3.30 /7.28
N0802376	1000	0.18	3.90 /8.60
N0802377	1000	0.20	4.50 /9.92
N0802378	1000	0.22	5.80/12.79
N0802379	1000	0.25	6.90/15.22
N0802385	1000	0.28	8.00/17.64
N0802390	1000	0.30	8.96/19.76
N0802395	1000	0.35	14.10/31.10
N0802400	1000	0.40	17.80/39.26
N0802401	1000	0.45	21.00/46.32
N0802402	1000	0.50	25.50/56.24



GOLDEN SPECI LINE
CARP MIMETIC



ACE SUPREME CARP



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0400400	300	0.25	6.60 /14.5
N0400405	300	0.30	8.10 /17.9
N0400410	300	0.36	11.90 /26.3
N0400415	300	0.40	16.00 /35.4

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0600195	300	0.25	6.9 /15.2
N0600200	300	0.30	9.2 /20.3
N0600210	300	0.35	12.1 /26.7
N0600220	300	0.40	16.5 /36.3

FLUORINE SUPER PRO
ISO - A



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300100	250	0.25	5.59 / 11.74
N0300110	250	0.30	7.69 / 16.15
N0300120	250	0.35	10.54 / 22.14
N0300130	250	0.40	12.68 / 26.63

FLUORINE SUPER PRO
ISO - C



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300300	250	0.25	5.59 / 11.74
N0300310	250	0.30	7.69 / 16.15
N0300320	250	0.35	10.54 / 22.14
N0300330	250	0.40	12.68 / 26.63

FLUORINE SUPER PRO
ISO - B



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300200	250	0.25	5.59 / 11.74
N0300210	250	0.30	7.69 / 16.15
N0300220	250	0.35	10.54 / 22.14
N0300230	250	0.40	12.68 / 26.63

ATOM-FORCE FLUORIX



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0500080	250	0.18	3.7 /8.1
N0500085	250	0.20	4.5 /9.9
N0500090	250	0.22	5.4 /11.9
N0500095	250	0.25	8.45 /18.6
N0500100	250	0.30	11.95 /26.3
N0500105	250	0.35	15.7 /34.6
N0500110	250	0.40	20.5 /45.1
N0500120	250	0.45	27.4 /60.3
N0500130	250	0.50	34.7 /76.3
N0500132	250	0.60	39.4 /86.7

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0801400	100	0.16	1.80 /3.97
N0801402	100	0.18	2.00 /4.41
N0801405	100	0.20	3.30 /7.28
N0801407	100	0.22	4.00 /8.82
N0801410	100	0.25	4.70 /10.36
N0801415	100	0.30	6.20 /13.67
N0801420	100	0.35	7.60 /16.76
N0801425	100	0.40	10.00 /22.05
N0801430	100	0.45	12.30 /27.13
N0801435	100	0.50	16.60 /36.61
N0801440	100	0.60	23.20 /51.17
N0801445	100	0.70	26.50 /58.44
N0801450	100	0.80	36.30 /80.06
N0801460	100	1.00	46.50 /102.55
N0801457	100	1.20	55 /121.30
N0801461	100	1.40	65 /143.36
N0801463	1000	0.20	3.30 /7.28
N0801465	1000	0.25	4.70 /10.36
N0801467	1000	0.30	6.20 /13.67
N0801468	1000	0.35	7.60 /16.76
N0801470	1000	0.40	10.00 /22.05
N0801473	1000	0.45	12.30 /27.13
N0801475	1000	0.50	16.60 /36.61
N0801480	1000	0.60	23.20 /51.17
N0801485	1000	0.70	26.50 /58.44
N0801490	1000	0.80	36.30 /80.06
N0801500	1000	1.00	46.50 /102.55
N0801505	1000	1.20	55 /121.30
N0801585*	100	0.50	16.60 /36.61
N0801590*	100	0.60	23.20 /51.17
N0801595*	100	0.70	26.50 /58.44
N0801600*	100	0.80	36.30 /80.06
N0801610*	100	1.00	46.50 /102.55
N0801620*	100	1.20	55.00 /121.30
N0801630*	100	1.40	65.00 /143.36
N0801640*	100	1.60	75.00 /165.42

* MATASSE NYLON 5x100mt CONNECTED



GOLDEN TURBO LINE



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0600090	150	0.12	1.6 /6.3
N0600095	150	0.14	2.0 /4.4
N0600100	150	0.16	2.6 /5.7
N0600110	150	0.18	3.2 /7.0
N0600120	150	0.20	4.0 /8.8
N0600130	150	0.22	4.8 /10.54
N0600140	150	0.25	5.6 /12.3
N0600150	150	0.30	7.9 /17.14
N0600160	150	0.35	10.04 /22.09
N0600170	150	0.40	13.1 /28.09
N0600175	150	0.45	16.04 /36.1
N0600180	150	0.50	19.8 /43.6

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
RN400400	100	0.20	3.5 /7.73
RN400405	100	0.25	5 /11.05
RN400410	100	0.30	6.5 /14.37
RN400415	100	0.35	8.10 /17.90
RN400420	100	0.40	10.70 /23.65
RN400425	100	0.45	12.60 /27.85
RN400430	100	0.50	17.00 /37.55
RN400435	100	0.60	23.70 /52.38
RN400440	100	0.70	28.50 /62.99
RN400445	100	0.80	36.50 /80.67



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
N0200100	100	0.08	0.90
N0200110	100	0.104	1.70
N0200120	100	0.128	2.14
N0200130	100	0.148	2.72
N0200140	100	0.160	3.55
N0200150	100	0.180	3.93
N0200160	100	0.200	5.48
N0200170	100	0.220	6.65
N0200180	100	0.240	7.70
N0200190	100	0.260	8.90
N0200200	100	0.300	11.45

DORADA



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300600	300	0.25	5.59 / 11.74
N0300610	300	0.30	7.69 / 16.15
N0300620	300	0.35	10.54 / 22.14
N0300630	300	0.40	12.68 / 26.63



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
OC300100	25	0.125	1.5
OC300110	25	0.145	1.9
OC300120	25	0.165	2.4
OC300130	25	0.185	2.8
OC300140	25	0.205	3.4
OC300150	25	0.225	3.9
OC300160	25	0.245	4.7
OC300170	25	0.285	5.9
OC300180	25	0.305	6.8
OC300190	25	0.355	9.4
OC300300	100	0.125	1.5
OC300310	100	0.145	1.9
OC300320	100	0.165	2.4
OC300330	100	0.185	2.8
OC300340	100	0.205	3.4
OC300350	100	0.225	3.9
OC300360	100	0.245	4.7
OC300370	100	0.285	5.9
OC300380	100	0.305	6.8
OC300390	100	0.355	9.4
OC300400	100	0.400	10

EGI MASTER



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300400	150	0.20	3.6 / 7.56
N0300410	150	0.25	5.59/11.74
N0300420	150	0.30	7.69/16.15
N0300430	150	0.35	10.54/22.14
N0300440	150	0.40	12.68/26.63
N0300450	150	0.50	21.4/44.95

CLIMAX FLUOROCARBON LEADER



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
OC300490	50	0.40	10
OC300500	50	0.50	14
OC300510	50	0.60	17
OC300520	50	0.70	20
OC300530	50	0.80	24
OC300535	50	0.90	30
OC300540	50	1.00	40
OC300550	50	1.20	50

HARUNA SEAMASTER LEADER



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
OC300700	50	0.80	42
OC300710	50	0.90	51
OC300720	50	1.00	68

HYPER CAST



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0300500	300	0.25	5.59 / 11.74
N0300510	300	0.30	7.69 / 16.15
N0300520	300	0.35	10.54 / 22.14
N0300530	300	0.40	12.68 / 26.63

HARUNA SEAMASTER IGFA QUALITY



CODE	LENGTH (mt)	LBS
OC300600	1000	30
OC300610	1000	50
OC300620	1000	80
OC300630	1000	130

CULT CARP LINE



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
OC100100	300	0.30	7
OC100110	300	0.34	9
OC100120	300	0.38	11
OC100150	1000	0.30	7
OC100160	1000	0.34	9
OC100170	1000	0.38	11

STRONG PLUS



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg)
OC300635	1000	0.70	25
OC300640	1000	0.80	33
OC300645	1000	0.90	38
OC300650	1000	1.00	46
OC300655	1000	1.20	65
OC300660	1000	1.40	80

CLIMAX LASER LINE



A Mt. 135 - B Mt. 275

SUPERIOR FIBRE TECHNOLOGY

DIAM. (Ømm)	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.25
TEST (Kg/lb)	3.3	4.5	6.4	10.0	11.0	12.9	16.2	18.3	20.0	26.0
DIAM. (Ømm)	0.28	0.30	0.35	0.40	--	--	--	--	--	--
TEST (Kg/lb)	29.0	35.0	40.0	44.0	--	--	--	--	--	--

CLIMAX MIG



Mt. 300

100% EXTRA STRONG HMPE-FIBRES

DIAM. (Ømm)	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18
TEST (Kg/lb)	2.7	3.8	5.6	6.5	9.0	10.0	11.5	13.0
DIAM. (Ømm)	0.20	0.22	0.25	0.28	0.30	0.35	0.40	--
TEST (Kg/lb)	14.8	16.5	19.0	22.0	28.0	35.0	39.0	--

CLIMAX TOUCH 8+



EXCELLENCE FOR YOUR SUCCESS!

DIAM. (Ømm)	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.28	0.30
TEST (Kg/lb)	9.2	11.3	14.2	16.6	19.0	21.5	24.0	26.8	29.5

CRACK-2



100% BRAIDED LINE

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
HN200300	135	0.11	6.81/15
HN200310	135	0.15	9.08/20
HN200320	135	0.19	11.35/25
HN200330	135	0.23	13.62/30
HN200340	135	0.31	22.70/50

GOLIA CROCODILE



NERO/BLACK

100% BRAIDED LINE

CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
ZD100200	100	0.10	9.00/19.80
ZD100210	100	0.13	11.00/24.30

MACISTE



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0803510	130	0.12	4.5 /9.45
N0803510	130	0.14	5.6 /11.76
N0803510	130	0.16	6.7 /14.07
N0803510	130	0.18	8.1 /17.00
N0803510	130	0.20	9.8 /20.60
N0803510	130	0.23	11.5 /24.15
N0803510	130	0.26	14.7 /30.87
N0803510	130	0.30	16.2 /34.00
N0803510	130	0.35	21.5 /45.15
N0803510	130	0.40	23.8 /50.00
N0803500	500	0.18	8.1 /17.00
N0803500	500	0.20	9.8 /20.60
N0803500	500	0.23	11.5 /24.15
N0803500	500	0.26	14.7 /30.87
N0803500	500	0.30	16.2 /34.00
N0803500	500	0.35	21.5 /45.15
N0803500	500	0.40	23.8 /50.00
N0803500	500	0.45	28.1 /59.00

DYNEEMA CARSON ERCOLE

SUPERIOR FIBRE TECHNOLOGY



CODE	LENGTH (mt)	DIAMETERS (Ømm)	TEST (Kg/lb)
N0802500*	100	0.10	6.50/14.00
N0802505*	100	0.12	7.50/18.00
N0802507*	100	0.14	9.00/20.00
N0802510*	100	0.16	11.00/24.00
N0802515*	100	0.18	13.00/28.00
N0802520	100	0.20	15.00/33.00
N0802525*	100	0.22	17.00/37.00
N0802530*	100	0.25	19.00/42.00
N0802535*	100	0.30	25.00/55.00
N0802537*	100	0.35	31.00/68.00
N0802540*	100	0.40	36.00/80.00
N0802542*	100	0.50	45.00/100.00
N0802545	100	0.60	54.00/120.00
N0802550	300	0.10	6.50/14.00
N0802560	300	0.12	7.50/17.00
N0802570	300	0.16	11.00/24.00
N0802580	300	0.18	13.00/28.00
N0802585	300	0.20	15.00/33.00
N0802590	300	0.22	17.00/37.00
N0802600	300	0.25	19.00/42.00
N0802610	300	0.30	25.00/55.00
N0802620	300	0.35	31.00/68.00
N0802630	300	0.40	36.00/80.00
N0802640	300	0.50	45.00/100.00
N0802650	300	0.60	54.00/120.00

* DISPONIBILE IN CONFEZIONE BLISTER SINGOLO OPPURE COLLEGATO PER 6 BOBINE
SUPPLIED IN SINGLE BLISTER OR BY 6 CONNECTED SPOOLS

ATOM-FORCE RAINBOW



Color 1 from 0 to 10 mt	---
Color 2 from 10 to 20 mt	---
Color 3 from 20 to 30 mt	---
Color 4 from 30 to 40 mt	---
Color 5 from 40 to 50 mt	---

CODE	LENGTH (mt)	LBS	KG
N0802750	300	30	13.60
N0802760	300	50	22.80

DACRON



CODE	LENGTH (mt)	LBS
C3400415	50	12
C3400420	50	15
C3400430	50	20
C3400440	50	30
C3400445	50	40
C3400450	50	50
C3400460	50	80
C3400465	50	100
C3400470	50	130
C3400475	500	12
C3400480	500	20
C3400490	500	30
C3400500	500	50
C3400510	500	80
C3400520	500	100
C3400525	500	130
C3400530	500	160